

RDA

Self-levelling Adjustable Decking Pedestal

Overview

The RDA self-levelling adjustable decking pedestal supports all types of decking and flooring joists up to an impressive height of 1000mm.

- Ball and socket joint creates a free moving captive head
- Provides slope correction of up to 10.5% (6°)
- Accommodates bearer width of up to 100mm
- Millimetre perfect height adjustment
- Height extension collar raises the total height by 100mm
- Holes in base allow drainage and fixing to substrates
- Wide base protects roof membrane
- Base can be cut down to allow for placement against wall abutment



Performance

Material	Polypropylene (recyclable)
Biological/chemical	Resistant to moulds, algae, alkali, bitumen
Compression	2100kg (certified compression data available on request)
Base dimensions	210mm/220mm
Head dimensions	135mm
Bearer capacity	Up to 100mm
Working temperature	-40°C to 120°C

Got questions?

Speak to one of our expert advisors

Visit www.rynogroup.co.uk or call us today on **+44 (0)203 967 3500** or reach out on sales@rynogroup.co.uk.

Compression tests

Code	Height of the specimen (mm)	Maximum load (N)	Maximum load (Kg)	Deflection at max load (mm)
RDA-1	48	21,485	2,190	10.2
RDA-2	60	26,360	2,687	10.7
RDA-3	90	28,797	2,935	12.0
RDA-4	135	27,111	2,764	11.2
RDA-5	180	29,817	3,039	12.7
RDA-6	250	29,464	3,003	14.8
RDA-7	350	29,049	2,961	15.9
RDA-8	450	28,440	2,899	18.2
RDA-9	550	28,856	2,942	22.3
RDA-10	650	28,226	2,878	24.0
RDA-11	750	28,757	2,931	24.6
RDA-12	850	26,777	2,730	26.3
RDA-13	950	26,791	2,731	26.9

Sizes

Code	Adjustable height range
RDA-1	40-56mm
RDA-2	50-70mm
RDA-3	70-110mm
RDA-4	110-160mm
RDA-5	150-210mm
RDA-6	200-300mm
RDA-7	300-400mm
RDA-8	400-500mm
RDA-9	500-600mm
RDA-10	600-700mm
RDA-11	700-800mm
RDA-12	800-900mm
RDA-13	900-1000mm


Accessories



Base shock pads

Base shock-absorbent membrane pads can be installed under the pedestal/support base to enhance acoustic properties, or to provide additional protection to the waterproof system.

Compatible Systems



Got questions?

Speak to one of our expert advisors

Visit www.rynogroup.co.uk or call us today on **+44 (0)203 967 3500** or reach out on sales@rynogroup.co.uk.